

1. Product and Company Identification

| | | |
|---------------------------|--|----------------------|
| Product Code: | Z-SETT | |
| Product Name: | SETT | |
| Trade Name: | SETT | |
| Company Name: | Stoller | Phone Number: |
| | 9090 Katy Freeway | 1 (713)461-1493 |
| | Suite 400 | |
| | Houston, TX 77024 | |
| Web site address: | www.stollerusa.com | |
| Email address: | compliance@stollerusa.com | |
| Emergency Contact: | CHEMTREC, In the US and Canada call | 1 (800)424-9300 |
| | CHEMTREC, From other countries call | +1 (703)527-3887 |
| Information: | | 1 (800)539-5283 |
| Intended Use: | The document is issued to be used for product registration purposes only in Ukraine. | |

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A

Acute Toxicity: Oral, Category 5

Acute Toxicity: Skin, Category 5



| | |
|---|---|
| GHS Signal Word: | Warning |
| GHS Hazard Phrases: | H303 - May be harmful if swallowed. H313 - May be harmful in contact with skin. H319 - Causes serious eye irritation. |
| GHS Precautionary Phrases: | P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| GHS Response Phrases: | P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P337+313 - If eye irritation persists, get medical advice/attention. |
| GHS Storage and Disposal Phrases: | P404 - Store in a closed container. |
| Potential Health Effects (Acute and Chronic): | Hazards not otherwise classified (HNOC) or not covered by GHS: None. Chronic exposures to skin and mucous membranes that cause irritation may cause a chronic dermatitis or mucosal membrane problem. |
| Inhalation: | Inhaling mist, spray, or vapor may cause irritation to upper respiratory tract (nose and throat). Nasal mucosal and oropharyngeal erythema. |
| Skin Contact: | Skin irritation. Skin exposure may cause slight irritation, redness, itching, swelling. May cause more severe response if skin is damp, abraded (scratched or cut), or covered by clothing, gloves or footwear. Prolonged contact may cause more severe symptoms. Damage is localized to contact areas. |
| Eye Contact: | Causes eye irritation. Eye exposure may cause serious eye irritation, pain, and/or damage to the eye. |
| Ingestion: | Consumption of hypertonic solutions causes nausea, vomiting, and increased thirst. |
| Medical Conditions Generally Aggravated By Exposure: | Any skin condition that disrupts the skin, such as abrasions, cuts, psoriasis, fungal infections, etc. Any eye condition that compromises tear production, conjunctiva, or normal corneal homeostasis. |

3. Composition/Information on Ingredients

| CAS # | Components (Chemical Name) | Concentration | RTECS # |
|------------|---|---------------|-----------|
| 22691-02-7 | Calcium Chloride | <20.0 % | EV9800000 |
| 12280-03-4 | Disodium octaborate tetrahydrate (B8Na2O13) | <12.0 % | ED7950000 |
| NA | Molasses | < 3.0 % | NA |

4. First Aid Measures

| | |
|--|--|
| Emergency and First Aid Procedures: | Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. Always bring with victim a copy of label and SDS of product to health professional. |
| In Case of Inhalation: | Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. |
| In Case of Skin Contact: | Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before re-use. |
| In Case of Eye Contact: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs, get medical advice/attention. |
| In Case of Ingestion: | Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. |
| Signs and Symptoms Of Exposure: | Localized redness, warmth, and irritation consistent with mechanism of injury: abrasion, burn, hypertonic solution. |
| Note to Physician: | Treat symptomatically and supportively. |

5. Fire Fighting Measures

| | |
|--|---|
| Flash Pt: | N.A. |
| Explosive Limits: | LEL: N.A. UEL: N.A. |
| Autoignition Pt: | N.A. |
| Suitable Extinguishing Media: | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable Extinguishing Media: | None known. |
| Fire Fighting Instructions: | Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections. |
| Flammable Properties and Hazards: | This material does not burn. |
| Hazardous Combustion Products: | Formed under fire conditions: hydrogen chloride gas, calcium oxide |

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Isolate the area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard on some surfaces. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to Section 7, Handling, for additional precautionary measures.

Environmental Precautions: Prevent entry into waterways, sewers, basements or confined areas. See Section 12, Ecological Information.

Steps To Be Taken In Case Material Is Released Or Spilled: Small and large spills: Contain spilled material if possible. Absorb with materials such as sand. Collect in suitable and properly labeled containers. Flush residue with water. See Section 13, Disposal Considerations, for additional information.

7. Handling and Storage

Precautions To Be Taken in Handling: Avoid contact with eyes, skin, and clothing. Do not swallow. Wash thoroughly after handling. Wear personal protective equipment as described in Section 8, Exposure Controls/Personal Protection.

Precautions To Be Taken in Storing: Keep containers tightly closed when not in use. Keep separated from incompatible substances see Section 10, Stability and Reactivity.

8. Exposure Controls/Personal Protection

| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|------------|---|------------------------------------|---------------------------|--------------|
| 22691-02-7 | Calcium Chloride | No data. | TLV: 10 mg/m ³ | No data. |
| 12280-03-4 | Disodium octaborate tetrahydrate (B8Na2O13) | PEL: 15 mg/m ³ / 5 mg/m | TLV: 10 mg/m ³ | No data. |
| NA | Molasses | No data. | No data. | No data. |

Recommended Exposure Limits: Not applicable.

Respiratory Equipment (Specify Type): Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In dusty or misty atmospheres, use an approved particulate respirator.

Eye Protection: Wear safety glasses with side-shields. Wear chemical safety goggles and/or a face-shield to protect against skin and eye contact when appropriate.

Protective Gloves: Use gloves chemically resistant to this material. If hands are cut or scratched, use gloves chemically resistant to this material even for brief exposures.

Other Protective Clothing: Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Engineering Controls (Ventilation etc.): Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Work/Hygienic/Maintenance Practices: Use good personal hygiene. Do not consume or store food in the work area. Wash hands and affected skin immediately after handling, before smoking or eating, before breaks, and at the end of the workday.

9. Physical and Chemical Properties

| | | | |
|---|----------------------------|--------------|-----------|
| Physical States: | [] Gas | [X] Liquid | [] Solid |
| Appearance and Odor: | Brown liquid. | | |
| | Very slight molasses odor. | | |
| pH: | 4.8 - 6.8 | | |
| Freezing Point: | N.E. | | |
| Boiling Point: | N.D. - N.E. | | |
| Flash Pt: | N.A. | | |
| Evaporation Rate: | N.E. | | |
| Flammability (solid, gas): | Material will not burn. | | |
| Explosive Limits: | LEL: N.A. | UEL: N.A. | |
| Vapor Pressure (vs. Air or mm Hg): | N.E. | | |
| Vapor Density (vs. Air = 1): | N.E. | | |
| Specific Gravity (Water = 1): | 1.31 - 1.35 | N.E. | |
| Density: | ~ 11.1 LB/GA | | |
| Solubility in Water: | Soluble | | |
| Saturated Vapor Concentration: | N.E. | | |
| Octanol/Water Partition Coefficient: | No data. | | |
| Percent Volatile: | N.A. | | |
| Autoignition Pt: | N.A. | | |
| Decomposition Temperature: | N.A. | | |
| Viscosity: | N.E. | | |

10. Stability and Reactivity

| | | |
|---|--|----------------------|
| Stability: | Unstable [] | Stable [X] |
| Conditions To Avoid - Instability: | Stable under normal temperatures and pressures. | |
| Incompatibility - Materials To Avoid: | Avoid contact with: bromide trifluoride. 2-furan per carboxylic acid because calcium chloride is incompatible with those substances. | |
| Hazardous Decomposition or Byproducts: | Formed under fire conditions: hydrogen chloride gas, calcium oxide | |
| Possibility of Hazardous Reactions: | Will occur [] | Will not occur [X] |
| Conditions To Avoid - Hazardous Reactions: | None known. | |

11. Toxicological Information

| | |
|---|--|
| Toxicological Information: | Mutagenicity: This product has not been investigated for mutagenic effects. Embryotoxicity: This product has not been investigated for embryotoxic effects. Teratogenicity: This product has not been investigated for teratogenic effects. Reproductive Toxicity: This product has not been investigated for toxic reproductive effects. |
| Irritation or Corrosion: | No data available. |
| Symptoms related to Toxicological Characteristics: | No data available. |
| Sensitization: | No data available. |
| Chronic Toxicological Effects: | The toxicological properties of this material have not been fully investigated. |
| Carcinogenicity/Other Information: | No component is listed as a carcinogenic by IARC, NTP, OSHA, and ACGIH. |
| Carcinogenicity: | NTP? No IARC Monographs? No OSHA Regulated? No |

12. Ecological Information

| | |
|--|--|
| General Ecological Information: | The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures." |
| Results of PBT and vPvB assessment: | No data available. |
| Persistence and Degradability: | Calcium chloride is believed not to persist in the environment because it is readily dissociated into calcium and chloride ions in water. Both ions originally exist in nature, and their concentrations in surface water will depend on various factors, such as geological parameters, weathering and human activities. |
| Bioaccumulative Potential: | Calcium chloride and its dissociated forms (calcium and chloride ions) are ubiquitous in the environment. Calcium and chloride ions can also be found as constituents in organisms. Considering its dissociation properties, calcium chloride is not expected to accumulate in living organisms. |
| Mobility in Soil: | Chloride ions are mobile in soil eventually draining into surface water. |

13. Disposal Considerations

| | |
|-------------------------------|---|
| Waste Disposal Method: | PRODUCT: Reuse or reprocess, if possible. Waste disposal must be done following all Federal, State and Local regulations. Regulations may vary in different locations. Report spills if applicable. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority. CONTAINER: Dispose properly accordingly to regulations on empty containers in your locality or make available to a container reconditioning facility for recycling. |
|-------------------------------|---|

14. Transport Information

SAFETY DATA SHEET SETT

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.
Trade Name: SETT

DOT Hazard Class:
UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: SETT

UN Number: **Packing Group:**

Hazard Class:

IMDG MFAG Number: N.A.

IMDG EMS Page:

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: SETT

UN Number: **Packing Group:**

Hazard Class:

Additional Transport Information: Placards / Markings: N.A.

Emergency Response Guide Number: N.A.

Reportable Quantity: N.A.

15. Regulatory Information


16. Other Information

Revision Date: 10/31/2018

Hazard Rating System:

| | | |
|---------------------|--|----------|
| HEALTH | | 1 |
| FLAMMABILITY | | 0 |
| REACTIVITY | | 0 |
| PPE | | |

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.