Revision: 05/07/2023 Supersedes Revision: 04/30/2023

1. Product and Company Identification

Product Code: Z-KEYMN

Product Name: KEYLATE MANGANESE Trade Name: **KEYLATE MANGANESE**

Stoller **Company Name: Phone Number:** 9090 Katy Freeway 1 (713)461-1493

Suite 400

Houston, TX 77024

Web site address: www.stollerusa.com

Email address: compliance@stollerusa.com

Emergency Contact: CHEMTREC, In the US and Canada call 1 (800)424-9300

> CHEMTREC, From other countries call +1 (703)527-3887

1 (800)539-5283 Information:

For agricultural use only Intended Use:

Chelated micronutrient solution Synonyms:

2. Hazards Identification

Skin Corrosion, Category 1B Serious Eye Damage, Category 1



GHS Signal Word: Danger

GHS Hazard Phrases: H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

GHS Precautionary Phrases: P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. GHS Response Phrases:

P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment see ... on this label. P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal

P405 - Store locked up.

Phrases:

P501 - Dispose of contents/container to permitted waste facility.

Potential Health Effects

Acute: Depending on the duration of contact, overexposure can irritate the eyes, skin, mucous membranes and any other exposed tissue. (Acute and Chronic):

Chronic: Expected toxicity hazard: slight Expected toxicity hazard: slight

Inhalation: Prolonged exposure to low concentrations of vapors may cause irritation to throat and

upper respiratory tract, headache, nausea, dizziness, and even unconsciousness.

Skin Contact: May be harmful if absorbed through the skin. Prolonged and/or repeated contact may

cause irritation and/or dermatitis.

Contact with product may cause redness, slight to severe eye irritation. Eye Contact:

The toxicological properties of this substance have not been fully investigated. Ingestion:

Licensed to Stoller USA **GHS** format

Revision: 05/07/2023 Supersedes Revision: 04/30/2023

3. Composition/Information on Ingredients					
CAS#	Components (Chemical Name)	Concentration	RTECS #		
2222021-23-8	Manganese EAHP	<35.0 %	NA		
141-43-5	Ethanol, 2-Amino-	< 7.0 %	KJ5775000		

4. First Aid Measures

Emergency and First Aid

Procedures:

Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. Always bring with victim a copy of label and SDS of product to health

professional.

In Case of Inhalation: Remove from exposure and move to fresh air immediately. Get medical aid.

In Case of Skin Contact: Wipe off product and immediately wash affected area with abundant soap and water.

Remove contaminated clothing taking care not to impregnate eyes. Seek medical

attention if irritation occurs. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and immediately flush eyes with plenty of water for at least 15

minutes. Get medical attention.

In Case of Ingestion: Consult a physician.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: N.A.

Explosive Limits: LEL: N.A. UEL: N.A.

Autoignition Pt: N.A.

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Substance is

noncombustible; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing

Media:

None known.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

Toxic fumes under fire conditions.

Hazardous Combustion

Products:

None known.

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: In case of a large spill, protect people by clearing and isolating the affected area. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and rubber boots, goggles or full face-shield and coveralls

or long-sleeved shirt and pants.

Environmental Precautions: Do not allow to enter drains or waterways.

Steps To Be Taken In Case Material Is Released Or

Spilled:

It is necessary to contain the spill into the smallest area possible by diking, scooping, etc., and recover liquid into an appropriate container, labeling it accordingly. If product is clean, use it as intended, following original label directions; should it get contaminated,

salvage for proper disposal as waste.

Absorb residual product onto dry carrier such as dirt, sand or any other absorbent material, then put in covered, labeled containers and dispose of as dry waste in

accordance with Federal, State and Local waste disposal regulations.

Licensed to Stoller USA GHS format

Revision: 05/07/2023 Supersedes Revision: 04/30/2023

7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Avoid breathing dust, mist, or vapor. Avoid contact with eyes, skin, or clothing. Avoid ingestion and inhalation. Empty containers may contain residual liquid or vapors and therefore should be handled the same as full containers.

Precautions To Be Taken in Storing:

Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Keep containers tightly closed when not in use. Store in a cool, dry place, away from direct sunlight, sources of intense heat or where freezing is possible. Store away from food, feed, clothing materials and living quarters. Whenever possible, place chemicals on secondary containers or diked area. Store a maximum of three pails high; do not stack pallets. Store Keylate Micronutrients in fiberglass, polyethylene or polyolefin.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
2222021-23-8	Manganese EAHP	No data.	No data.	No data.
141-43-5	Ethanol, 2-Amino-	PEL: 3 ppm	No data.	No data.

Recommended Exposure

Limits:

No occupational exposure limits have been established for this mixture.

Respiratory Equipment

(Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. If the respirator is the sole means of protection, use a

full-face supplied air respirator.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal

technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

Other Protective Clothing: Long-sleeved shirt, long pants and protective shoes should be worn as a good safety

practice. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear long sleeve shirt, long

pants, and protective shoes with socks.

Engineering Controls (Ventilation etc.):

General ventilation is usually adequate. Local exhaust should be used if needed for safe, comfortable working conditions. An eye bath and washing facilities should be readily

available.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove all dirty or contaminated clothing and wash it before reusing, as well as any

other PPE.

Environmental Exposure

Controls:

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water.

Licensed to Stoller USA GHS format

Revision: 05/07/2023

Supersedes Revision: 04/30/2023 9. Physical and Chemical Properties Physical States: [] Gas [X]Liquid [] Solid Appearance and Odor: Clear, brown color. Pleasant, characteristic odor. 9.0 - 11.0pH: Melting Point: No data. **Boiling Point:** No data. N.A. Flash Pt: Evaporation Rate: N.E. Flammability (solid, gas): Material will not burn. **Explosive Limits:** LEL: N.A. UEL: N.A. Vapor Pressure (vs. Air or N.E. mm Hg): Vapor Density (vs. Air = 1): N.E. Specific Gravity (Water = 1.18 - 1.22 1): Density: ~ 10.0 LB/GA Solubility in Water: Soluble N.E. Saturated Vapor Concentration: Octanol/Water Partition N.E. Coefficient: **Autoignition Pt:** N.A. Decomposition N.E. Temperature: Viscosity: N.E. Information with regard to primary physical hazard: 10. Stability and Reactivity Reactivity: N.A. Stability: Unstable [] Stable [X] **Conditions To Avoid -**Stable under normal condition, but avoid extreme heat and contact with incompatible Instability: materials. Incompatibility - Materials To Strong oxidizing agents. Avoid: Hazardous Decomposition or Toxic fumes under fire conditions. Byproducts: Possibility of Hazardous Will occur [] Will not occur [X] Reactions:

Licensed to Stoller USA **GHS** format

None known.

Conditions To Avoid -

Hazardous Reactions:

Revision: 05/07/2023 Supersedes Revision: 04/30/2023

11. Toxicological Information

Toxicological Information: Mutagenicity: This product has not been investigated for mutagenic effects.

> Embryotoxicity: This product has not been investigated for embryotoxic effects. Teratogenicity: This product has not been investigated for teratogenic effects. Reproductive Toxicity: This product has not been investigated for toxic reproductive

effects.

No data available. Irritation or Corrosion:

Symptoms related to **Toxicological** Characteristics:

No data available.

Sensitization:

The sensitizing properties of this product have not been thoroughly investigated.

Chronic Toxicological

The toxicological properties of this material have not been fully investigated.

Effects: Carcinogenicity/Other

Information:

The carcinogenic properties of this product have not been thoroughly investigated. The components of this product are not listed as a carcinogenic by CPDB, IARC, NTP,

OSHA, CAL/OSHA and ACGIH.

NTP? No Carcinogenicity: IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological

The available data on this material does not indicate any undue hazard to the Information:

environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures." Due to its nutritional nature, may cause eutrophication if discharged in

bodies of water.

Results of PBT and vPvB

assessment:

No data available.

Persistence and

Degradability:

No data available.

Bioaccumulative Potential: No data available. Mobility in Soil: No data available.

13. Disposal Considerations

This product, if unaltered by use, may be disposed of by treatment at a permitted facility Waste Disposal Method:

or as advised by your local waste regulatory authority. Avoid contaminating water by

disposal of equipment wash waters or other product wastes.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local

hazardous waste regulations to ensure complete and accurate classification.

14. Transport Information

Licensed to Stoller USA **GHS** format

Revision: 05/07/2023 Supersedes Revision: 04/30/2023

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. Trade Name: KEYLATE MANGANESE

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: KEYLATE MANGANESE

UN Number: Packing Group:

Hazard Class:

IMDG MFAG Number: N/A

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: KEYLATE MANGANESE

UN Number: Packing Group:

Hazard Class:

Additional Transport

Placards / Markings: N.A.

Information:

Emergency Response Guide Number: N.A.

Reportable Quantity: N.A.

15. Regulatory Information

Regulatory Information: TSCA Inventory: In compliance with inventory requirements for commercial purposes.

16. Other Information

Revision Date: 05/07/2023 **Previous revision:** 04/30/2023

Hazard Rating System:

Flammability Instability
Health 1 0
NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.

Licensed to Stoller USA GHS format