Stoller® 203



SPECIMEN

2-0-3 GUARANTEED ANALYSIS

Total Nitrogen (N)2%
2% Urea Nitrogen
Soluble Potash (K ₂ O)
Derived from urea and potassium hydroxide.

F2399

Z-STOLLER203 Rev: 21C10

Density: 9.9 lb/gal (1.19 kg/L) @ 68°F (20°C)

NET CONTENT	NET WEIGHT
□ 2.5 gal (9.5 L)	24.8 lb (11.3 kg)
□ 2.64 gal (10.0 L)	26.1 lb (11.9 kg)
□ 5.0 gal (18.9 L)	49.5 lb (22.5 kg)
☐ 5.28 gal (20.0 L)	52.3 lb (23.8 kg)
□ 55 gal (208.2 L)	544.5 lb (247.8 kg)
□ 275 gal (1041.0 L)	2722.5 lb (1238.8 kg)
□ BULK	

CAUTION

KEEP OUT OF REACH OF CHILDREN; MAY BE HARMFUL IF SWALLOWED, INHALED OR IN CONTACT WITH SKIN; MAY CAUSE EYE IRRITATION. MAY CAUSE DAMAGE THROUGH PROLONGED EXPOSURE.

PRECAUTIONS:

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in well-ventilated area. Avoid release to environment. Wear protective gloves/protective clothing/eye protection/face protection. Keep container tightly closed. Keep cool and protected from sunlight.

If medical advice is needed, have product container or label at hand. For more details regarding the safe use/handling, storage, and disposal of this product as well as additional hazards and first aid measures, please obtain the current Safety Data Sheet at www.stollerusa.com.

STORAGE AND DISPOSAL

We recommend storing pails a maximum of three pails high. Do not stack pallets. Store container tightly closed in a cool/well-ventilated dry place protected from sunlight above 40°F. Do not allow container to freeze. Store locked up. DISPOSE of contents/container at a permitted facility or as advised by your local regulatory authority. Do not contaminate water, food or feed by storage or disposal. Do not apply directly to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment wash water. Do not reuse empty container.

Information regarding the contents and levels of metals in this product is available on the internet at

http://www.aapfco.org/metals.html

GENERAL INFORMATION

STOLLER 203 is a foliar and soil-applied fertilizer solution, containing the essential plant nutrients nitrogen and potassium.

DIRECTIONS FOR USE

It may be a violation of federal law to use this product inconsistent with its labeling.

STOLLER 203 can be applied as a seed treatment, in-furrow, transplant water or drench, as a side-dress or foliar application, and through flood, drip, overhead, pivot and micro irrigation systems. Apply the recommended amount in a volume sufficient to provide uniform coverage.

RECOMMENDED USES

SEED TREATMENTS: Apply as a seed treatment at 4 ounces per 100 pounds of seed as a seed treatment.

IN-FURROW: Apply 4 to 8 ounces in furrow per planted acre.

TRANSPLANTS: Apply as a root dip, or drench, or in the transplant water, at a rate of 4 to 8 ounces per acre, immediately before or after planting. For root dip solutions use a concentration between 0.1 to 0.2 oz/gallon of water/fertilizer solution.

FOR FOLIAR APPLICATION: Apply to the plant foliage 0.5 to 1.0 pint per planted acre every 7-14 days throughout the growing season in a spray volume sufficient to ensure thorough coverage of the leaf tissue.

FOR FERTIGATION: Apply to root zone 0.5 to 1.0 pint every 7-14 days throughout the growing season.

<u>OTHER USES</u>: Apply at the recommended rate for: <u>Drought preconditioning</u> (before anticipated water restrictions), <u>Seed crops</u> (prior to bud development and as needed during early reproductive stages to maintain vigor), <u>Postharvest</u> (perennial crops after harvest), and <u>Abiotic Stress Management</u> (apply during or after the onset of stress).

Use **STOLLER 203** at the recommended rate on the following crops:

FIELD CROPS: Alfalfa, bean crops, canola, clover, corn, cotton, forage grasses, peanut, potato, rape (canola), rice, sorghum, soybean, sugar beet, sugarcane, sunflower, tobacco, and wheat, barley, oat, or other cereal grain.

VEGETABLE CROPS: Artichoke, asparagus, broccoli, cauliflower, cabbage, kale, and other cruciferous vegetables; leaf lettuce, head lettuce, dandelion, radicchio, and other leafy vegetables; cucumber, melon, pumpkin, squash, and other cucurbits, onion, garlic, and other bulb vegetables; tomato, pepper, eggplant and other fruiting vegetables; strawberry; carrot, sweet potato, radish, beet and other root and tuber vegetables.

FRUIT AND NUT CROPS: Apple, avocado, blueberry and other bush berries, blackberry, raspberry and other cane berries, sweet orange, lemon, mandarin and other citrus, date palm, fig, grapes, hops, nectarine, oil palm, olive, persimmon, cherry, peach, plums, prune, apricot and other stone fruit, almond, pecan, pistachio, walnut and other tree nuts, pear, pomegranate, and subtropical fruit.

Best if applied before 10% open flowers, or after petal-fall.

FIELD GROWN NURSERY STOCK: Cranberries, strawberry, tree and vine crops and other grafted, clonal or vegetatively propagated stock plants.

MIXING INSTRUCTIONS: Follow this mixing order: (1) Water (2) STOLLER 203 (3) Pesticide. STOLLER 203 will disperse in water with little agitation. STOLLER 203 is compatible with most fertilizers and pesticides. Always conduct a jar test when using new or untried combinations.

Notice: The information contained herein is true and accurate to the best of our knowledge and belief, but is presented without guarantee since field conditions and use are beyond our control. Neither the manufacturer nor the seller makes any warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instruction. Read and follow the label directions carefully.

CONDITIONS OF SALE: 1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorized to make any warranty, guarantee of direction concerning this product. 2. Because of time, place, rate of application and other conditions of use are beyond seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Always read and follow label instructions.

Page 2 of 2 Stoller 203